

NOV 14 2007

Application No.: 10/693,642Docket No.: 200313710US (1509-462)**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. (Original) A method of transporting SCSI data packets over a network to a destination, the method including the steps of

encapsulating a SCSI data packet within an MPLS header structure, said structure including a MPLS label,

assigning the data packet to a forward equivalence class; and

transporting the labelled data packet, according to the MPLS protocol, to its destination.

2. (Currently Amended) A method as claimed in claim 1 including the step of establishing a Label Switched Path for [[the]] an mSCSI PDU using an MPLS routing protocol prior to assigning the mSCSI PDU to a forward equivalence class.

3. (Original) A method of transporting SCSI data packets over a network to a destination, the method including the steps of

- encapsulating a SCSI data packet within an MPLS header structure, forming an mSCSI protocol data unit (mSCSI PDU);
- assigning the mSCSI PDU to a forward equivalence class;
- labelling the mSCSI PDU according to the MPLS protocol; and
- transporting the labelled data packet, according to the MPLS protocol, to its destination.

4. (Original) A method as claimed in claim 3 including the step of

**Application No.: 10/693,642****Docket No.: 200313710US (1509-462)**

establishing a Label Switched Path for the mSCSI PDU using an MPLS routing protocol prior to assigning the mSCSI PDU to a forward equivalence class.

5. (Original) A method as claimed in claim 4 wherein the Label Switched Path specifies the routing that is to be imposed on the data packets when carried on the MPLS network.

6. (Currently Amended) A method as claimed in claim 4 wherein the MPLS routing protocol is protocol for the MPLS network is selected from the group including CR-LDP[[,]] and RSVP-TE or similar.

7. (Currently Amended) A method of transporting iSCSI protocol data units over a network to a destination, the method including the steps of:

- assigning an iSCSI protocol data unit to a forward equivalence class;
- labelling the iSCSI protocol data unit according to [[the]]an MPLS protocol; and
- transporting the labelled iSCSI protocol data unit on an MPLS network core.

8. (Original) A method of transporting iSCSI protocol data units (iSCSI PDUs) over an MPLS network including the steps of:

- establishing a label switched path for an iSCSI PDU using an MPLS routing protocol;
- assigning the iSCSI PDU to a particular forward equivalence class;
- labelling the iSCSI PDU with an MPLS label to form a MPLS data packet; and

transporting the labelled data packet according to the MPLS protocol.

9. (Original) A method as claimed in claim 8 wherein the Label Switched Path specifies the routing that is to be imposed on the data packets when carried on the MPLS network.

Application No.: 10/693,642Docket No.: 200313710US (1509-462)

10. (Original) A method as claimed in claim 8 wherein the MPLS routing protocol is CR-LDP, RSVP-TE or similar.

11. (Currently Amended) A network ~~configured~~ including plural coupled computer arrangements, the network including a program for causing the network to operate in accordance with the method as claimed in claim 1.

12. (Currently Amended) A network ~~configured~~ including plural coupled computer arrangements, the network including a program for causing the network to operate in accordance with the method as claimed in claim 7.

13. (Currently Amended) A network ~~configured~~ including plural coupled computer arrangements, the network including a program for causing the network to operate in accordance with the method as claimed in claim 8.

14. (Original) One or more host computers configured to carry out the method as claimed in claim 7.

15. (Original) One or more host computers configured to carry out the method as claimed in claim 8.

16. (Original) One or more host computers configured to carry out the method as claimed in claim 1.

17. (Currently Amended) A memory device or storage medium including computer readable data in the form of ~~storing~~ a program for causing a network to be operated in accordance with the method of claim 1.

18. (Currently Amended) A memory ~~storing~~ device or storage medium including computer readable data in the form of a program for causing a network to be operated in accordance with the method of claim 7.

19. (Currently Amended) A memory ~~storing~~ device or storage medium including computer readable data in the form of a program for causing a network to be operated in accordance with the method of claim 8.